



European Monitoring Centre for Drugs and Drug Addiction

Report ID:

Standard Table 9 part 3 - behaviour Voluntary results for Behavioural Surveillance and Protective Factors

Please note:

This spreadsheet has been created to replicate a Fonte template to aid copying and pasting. However there are some rules that have to be followed if the copy and paste is to work. Matrices and text can be copied and pasted but the following rules should be followed.

1. Use a full stop "." for a decimal place, not a comma. For example 11.22 NOT 11,22
2. Do not use any separators between 1000. For example 35000.25 NOT 35,000.25
3. If there is no data leave the cell empty. Do not use a 0 or n.a. or any other value.

In the Excel sheet a choice from a list of possibilities is indicated by placing a cross in the cell directly to the right of the selection. For example

Yes	x
No	

This cannot be copied directly into Fonte, where a radio button or a check box is selected.

1. Behavioural data

1.1. Instructions / Comments

For General Instructions please use the following link:

http://www.emcdda.europa.eu/attachements.cfm/att_53315_EN_9_General%20instructions.doc; General instructions for ST9

For Instructions to fill in this Template please use the following link:

http://www.emcdda.europa.eu/attachements.cfm/att_53415_EN_9_Part%203_Behaviour_guidelines.doc; ST9P3: Behaviour guidelines

Note:

- Information in this Report should be based on the same sample as for Reports part 1 and part 2.
- If you have data from an additional study please fill in a new Report part 1 and part 2.
- If you have data only for one or several non-consecutive years, or on a few variables only, please only fill in the respective column(s) / cells.
- If possible, please provide complete time series, if not possible then please provide data for the reporting year.
- The items in this Report are in accordance with 'core items' from the Drug-Related Infectious Diseases Protocol (version October 2006).
- The suggested definition of current IDUs is 'having injected at least once in the last 4 weeks' (please indicate under 1.7.7).

PLEASE REMEMBER THIS REPORT IS VOLUNTARY. YOU ARE REQUESTED TO PROVIDE DATA ONLY IF YOU HAVE THE DATA AND ARE INTERESTED IN SHARING THEM WITH US.

NOTE THAT THIS INSTRUMENT IS STILL BEING EVALUATED AND ITEMS AND FORMATS MAY STILL CHANGE IN THE NEAR FUTURE.

THANK YOU VERY MUCH FOR PROVIDING YOUR DATA.

1.2. Study Identification

1.2.1 Study Identification

IMPORTANT

Please use this http://www.emcdda.europa.eu/attachements.cfm/att_54082_EN_ST%209_Study%20id%20codebook.xls to see instructions on how to fill in the Study Identification

1.2.2 Country

Please use country code according to the EU protocol. If you are not sure about your country code please go to: <http://publications.europa.eu/code/pdf/370000en.htm>

1.2.3 Geographical coverage

National	
Subnational	

If the data you are reporting covers the entire EU member state you should answer National. If you are reporting data for a region or city, please state Subnational

In case of the United Kingdom, please select National only if the reported data covers the entire United Kingdom, otherwise please select Subnational.

1.2.4 If in question above you choose Subnational please define the geographic area covered

Please use clear regions / cities names, and then use question 3.7.4 - Additional information / comments if you have comments or information to provide on the regions / cities definition.

For information on Nomenclature of Territorial Units please go to: http://ec.europa.eu/eurostat/ramon/nuts/splash_regions.html

1.3. Age and Gender

1.3.1 MEAN AGE (Mean age of total sample)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
1											
2											
3											

1 - Total sample size of ever injectors (IDUs).

2 - Number of IDUs with a valid answer for age.

3 - Mean age of total sample.

1.3.2 MEAN AGE (New injectors who injected for the first time less than 2 years ago)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
4											
5											

4 - Number of new IDUs with a valid answer for age.

5 - Mean age of new injectors.

1.3.3 PROPORTION OF FEMALE GENDER

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
6											
7											
8											

6 - Number of females among the ever IDUs.

7 - Number of ever IDUs with valid information for gender.

8 - Proportion of females.

1.4. Main behavioural items

1.4.1 Give the recall period used in the interview / questionnaire

(E.G. 'LAST 4 WEEKS', 'LAST 6 MONTHS', 'LAST 12 MONTHS', OTHER-SPECIFY)

If more recall periods were used in the survey, please preferably use 'last 4 weeks' and specify the recall period in the respective definition box of the item, if different.

1.4.2 SHARING NEEDLES/SYRINGES (Includes both lending and borrowing as well as otherwise using a needle/syringe already used by someone else, even if cleaned)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
9											
10											
11											

9 - Number current IDUs sharing needles/syringes.

10 - Number of current IDUs with a valid answer for needles/syringes.

11 - Proportion sharing needles/syringes

1.4.3 Sharing needles / syringes (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.4.4 SHARING NEEDLES/SYRINGES OR OTHER INJECTING EQUIPMENT (Includes both lending and borrowing as well as otherwise using any injecting materials already used by someone else, even if cleaned - e.g. needle/syringe, water, cotton/filter, cooker, spoon, acid/lemon etc.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
12											
13											
14											

12 - Number current IDUs sharing paraphernalia.

13 - Number of current IDUs with a valid answer for sharing paraphernalia.

14 - Proportion sharing paraphernalia.

1.4.5 Sharing needles / syringes or other injecting equipment (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.4.6 RECENT HIV TESTING UPTAKE (Has the user been tested for HIV infection in the last 12 months? (before this survey or screening))

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15											
16											
17											
18											

15 - Number of ever IDUs tested for HIV.

16 - Number of ever IDUs with a valid answer for recent HIV testing.

17 - Proportion HIV tested.

18 - Proportion HIV tested & knowing test result.

1.4.7 Recent HIV testing uptake (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.4.8 RECENT HCV TESTING UPTAKE (Has the user been tested for HCV infection in the last 12 months? (before this survey or screening))

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
19											
20											
21											
22											

19 - Number of ever IDUs tested for HCV.

20 - Number of ever IDUs with a valid answer for recent HCV testing.

21 - Proportion HCV tested.

22 - Proportion HCV tested & knowing test result.

1.4.9 Recent HCV testing uptake (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.5. Additional behavioural items, if available

Please try to provide the data as compatible as possible with the example question, and give exact wording of your question, recall period and definition of the item in the first box.

1.5.1 INJECTING FREQUENCY (How many times did the user inject in the last 4 weeks?)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
23											
24											
25											
26											
27											
28											
29											

23 - Number of ever IDUs with a valid answer for Injecting frequency.

24 - Proportion not injecting in the last 4 weeks.

25 - Proportion injecting once a week or less.

26 - Proportion injecting 2-6 times per week.

27 - Proportion injecting daily.

28 - Proportion injecting several times a day.

29 - Mean times injected in the last 4 weeks.

1.5.2 Injecting frequency (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.5.3 PERSONAL REUSE OF NEEDLES/SYRINGES (For the last needle&syringe that was already discarded, how many times did the respondent use it; if applicable: before sharing it?)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
30											
31											

30 - Number of current IDUs with a valid answer for personal reuse of needles/syringes.

31 - Mean times safe reuse per needle/syringe.

1.5.4 Personal reuse of needles / syringes (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.5.5 NUMBER OF DIFFERENT SHARING PARTNERS (From how many different people did the user borrow needles/syringes in the last 4 weeks? Note that this variable refers only to borrowing needles/syringes, not the sharing of other paraphernalia. If data are only available on the combined variable 'number of borrowing or lending partners' or 'number of injecting partners', then please provide the data and the definition used.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
32											
33											
34											

32 - Number of current IDUs with a valid answer for different sharing partners.

33 - Proportion receiving N/S from 2 or more people.

34 - Mean number of sharing partners last 4 weeks.

1.5.6 Number of different sharing partners (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.5.7 SEX WORKERS (What proportion of ever IDUs in the sample report having provided vaginal or anal sex to clients for money, drugs or other benefits in the last 4 weeks.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
35											
36											
37											

35 - Number ever IDUs doing sex work last 4 weeks.

36 - Number of IDUs with a valid answer for sex work.

37 - Proportion IDUs reporting sex work last 4 weeks.

1.5.8 Sex workers (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.5.9 CONDOM USE AT LAST INTERCOURSE (Of the ever IDUs reporting sexual intercourse in the last 4 weeks, what proportion of them used a condom at the last intercourse. The questions could be formulated as follows: 'Have you had sexual intercourse in the last 4 weeks?' If yes: 'Did you or your partner use a condom when you last had sex?')

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
38											
39											
40											
41											

38 - Number ever IDUs with intercourse last 4 weeks.

39 - Number IDUs using a condom at last intercourse.

40 - Number IDUs with valid answer on condom use.

41 - Proportion using a condom at last intercourse.

1.5.10 Condom use at last intercourse (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.6. Additional items on interventions

1.6.1 NUMBER OF STERILE NEEDLES/SYRINGES (How many sterile needles/syringes did the user obtain in the last 4 weeks? Note this can be from any source.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
42											
43											

42 - Number of current IDUs with a valid answer for sterile needles/syringes.

43 - Mean number of sterile needles last 4 weeks.

1.6.2 Number of sterile needles / syringes (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.6.3 OPIOID MAINTENANCE (Has the user been in opioid maintenance in the last 4 weeks? i.e. using prescribed methadone, buprenorphine, heroin, etc.). Note that total sample for this question should be restricted to opioid users only.

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
44											
45											
46											
47											

44 - Number opioid users (among the ever IDUs).

45 - Number IDUs in opioid maintenance.

46 - Number primary opioid IDUs with valid answer.

47 - Proportion in opioid maintenance.

1.6.4 Opioid maintenance (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.7. Additional demographic items

1.7.1 COUNTRY OF BIRTH (Please provide data, if available, on the proportion with country of birth outside the country of survey. If country of birth is not available you may use nationality instead (then provide the proportion with nationality other than the country of survey, please state the variable used clearly in definition box below).

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
48											
49											
50											

48 - Number of ever IDUs who are immigrants.

49 - Number with a valid answer on country of birth.

50 - Proportion immigrants.

1.7.2 Country of birth (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.7.3 HOMELESSNESS (Please provide data, if available, on the proportion of recent-homeless IDUs. Recent homelessness is defined as living in a hostel, without a steady address or on the streets during more than 1 week in the last 12 months.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
51											
52											
53											

51 - Number of ever IDUs who were recently homeless.

52 - Number ever IDUs with a valid answer for homelessness.

53 - Proportion recently homeless.

1.7.4 Homelessness (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.7.5 HISTORY OF INJECTING (Please provide data, if available, on the years of injecting.)

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
54											
55											
56											
57											
58											
59											

54 - Number ever IDUs with a valid answer for history of injection.

55 - Proportion < 2 years since 1st injection

56 - Proportion 2 to < 5 years since 1st injection

57 - Proportion 5 to < 10 years since 1st injection

58 - Proportion 10 years or more since 1st injection.

59 - Median years of injecting in the sample.


1.7.6 History of injecting (Exact definition / Recall period)

	-
Exact definition	
Recall period	

1.7.7 Please provide any comments you might have below

--

Report Comments:

A large, empty rectangular box with a thin black border, intended for entering report comments. It occupies the upper left portion of the page.